

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 1 of 15

Trade name:	HIDROFOB ELASTIC 1K			BTL.C.80.01	
Product code:		Production date:	July 2, 2017	Version no:	01

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1.	Product identifier	
	Trade name:	HIDROFOB ELASTIC 1K
	Chemical name:	Not applicable
	Synonyms:	Not applicable
	Catalogue number:	Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Application:	It is used for waterproofing balconies, bathrooms, technical water pools and similar that will later be coated with ceramics. For more information see product data sheet/label.
	Applications not recommended:	All other applications not listed on label or product data sheet.
	Reasons for non-application:	Unsatisfactory quality of the used product.
1.3.	Details of the supplier of the safety data sheet	
	Company name:	Colorit d.o.o.
	Address:	Blagoja Parovića 114b
	Telephone:	+387(0)51/388-830
	Fax:	+387(0)51/388-840
	e-mail address of the person liable for MSDS:	colorit@inecco.net
	Authorized person in RS:	Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number	
	Emergency telephone number:	121 (before 112 gets activated)
	Telephone number for medical information:	124 (0-24h)
	Other information:	+381 11 360 84 40 (Poison Control Centre Military Medical Academy Belgrade, Serbia)

SECTION 2. HAZARDS IDENTIFICATION


2.1.	Classification of the substance or mixture	
2.1.1.	CLP/GHS system classification	
	Hazard class and category mark:	Warning on danger (H, EUH)*:
	Skin irritation 2	H315
	Skin sensitisation 1	H317
	Serious eye damage 1	H318
	STOT SE 3	H335
2.1.2.	Additional information	
	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 2 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

*Full text R, H and EUH marks in Section 16				
2.2. Label elements				
	Pictogram/hazard symbol:			
	Signal word/danger sign and written warning:	Danger		
	Hazard statements (H):	H315-Causes skin irritation cause allergic skin reactions. H317-May H318-Causes serious eye damage. H335-May cause respiratory irritation.		
	Precautionary statements (P) :	P102 – Keep out of reach of children P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P304+P340-IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310-Immediately call a POISON CENTER or doctor/physician P333-P313-If skin irritation or rash occurs: Get medical advice/attention P501 – Dispose of contents /container in accordance with local/national/regional/international regulations		
	Supplemental hazard information:	Not applicable		
2.3. Other hazards				
The product has alkaline effects in contact with water.				
SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS				
3. Information on mixture ingredients				
Name	CAS number / EC number / Index number	REACH registration number	Mass or volume % or range	CLP/GHS system classification*
Quartz sand	Not applicable	Excluded	20-30	Not classified as hazardous
Portland cement clinker	65997-15-1/ 263-043-4/ Not applicable	Excluded	18-25	Skin irritation 2, H315 Skin sensitization 1, H317 Serious eye damage 1, H318 STOT SE 3, H335
Calcium hydroxide	1305-62-0/ 215-137-2/ Not applicable	01-2119475151-45-0431	1-4	Skin irritation 2, H315 Serious eye damage 1, H318 STOT SE 3, H335
*Full text H and EUH marks in Section 16.				

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 3 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01	
Product code:	Production date: July 2, 2017	Version no:	01

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General:	Keep the material safety data sheet with you when contacting a doctor.
After inhalation:	Remove the person to fresh air. Clear the throat, drink water to rinse the throat, blow nose to clear dust. If symptoms persist ask for medical help. In case of inhalation of large amounts of dust, immediately call a doctor.
After skin contact:	Remove contaminated clothing and shoes, rinse contaminated body parts with water for around 10-15 minutes, if symptoms persist, ask for medical help.
After eye contact:	Do not rub eyes to avoid eye injuries. Wash hands, and then separate eyelids with clean fingers flushing each eye with lukewarm water for at least 15 minutes to wash out all particles. Rinse with saline solution if possible. Seek ophthalmologist's help.
After swallowing:	Do not induce vomiting. If the person is conscious, wash out the mouth with water and spit. Seek medical help immediately.
Personal protection of person providing first aid:	No information available

4.2. Most important symptoms and effects, both acute and delayed

After inhalation:	Coughing, sneezing, chest pain, difficulties with breathing may occur.
After skin contacts:	Redness, burning, itching and cracking of skin may occur. A longer contact or contact with wet product may cause hypersensitivity, dermatitis or burns in case of contact with wet skin.
After eye contact:	May cause eye redness, tearing, irritation and pain, blurred vision and irreversible eye injuries.
After swallowing:	May cause nausea, vomiting, diarrhea and stomach pain if large amounts are swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No information available

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents:	Carbon dioxide, dry powder, foam or water spray. Use extinguishing agent depending on the surrounding objects caught by fire.
Inappropriate extinguishing agents:	Not applicable

5.2. Special hazards arising from the substance or mixture

Dangerous combustion products:	Not known.
--------------------------------	------------

5.3. Advice for fire-fighters

Wear breathing mask in case of appearance of unknown products of combustion.
--

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For people not trained for the accident:

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 4 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

	Protective equipment:	Use personal protective equipment as specified in Section 8.2
	Accident prevention procedures:	Do not create dust. Prevent spreading into the air, vacuum clean. Wet clean-up, wet the dust, sweep up wet product and collect with shovel. Leave it to rest for 30-90 minutes and then hand over for disposal. In case of an accident secure the location and evacuate the staff that is not involved in remediation.
	Emergency procedures:	Not applicable
6.1.2.	For people participating in accident response:	
	If vacuum or wet cleaning is not possible, provide workers performing dry cleaning with protective equipment from Section 8.	
6.2.	Environmental precautions	
	Do not flush the product into sewage system, waste waters and other waterways.	
6.3.	Methods and materials for containment and cleaning up	
6.3.1.	For confinement:	No information available
6.3.2.	For cleaning up:	In accordance with Section 6.1.1.
6.3.3.	Other information:	Avoid inhalation and skin and eyes contact.
6.4.	Reference to other sections	
	Contaminated material should be disposed pursuant to Section 13. Use personal protection equipment pursuant to Section 8.	
SECTION 7. HANDLING AND STORAGE		
7.1.	Precautions for safe handling	
7.1.1.	Protective measures	
	Recommendations for safe handling:	In accordance with section 8.
	Fire prevention measures:	No information available
	Aerosol and dust formation preventive measures:	Do not sweep up with a broom or brush. Use vacuum cleaning that does not cause release of dust from the product.
	Incompatible materials handling:	No information available
	Environment protective measures:	Keep the containers tightly closed in waterproof, dry, clean places that are safe against contamination. Prevent product from entering waterways, sewage system and drains.
7.1.2.	General hygienic measures advice:	
	Do not eat, drink and smoke at the work place. Wash hands regularly after using the product. Take off contaminated clothing and protective equipment before entering the eating area.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Dry, ventilated room protected against moisture.

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 5 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Packaging materials:	Natron bag
Requests for storage rooms and containers:	Protect against moisture. Containers should be kept tightly closed in horizontal position, in waterproof, dry, clean rooms protected against contamination. Keep in a well-ventilated place. Prevent creation of dust.
Storage class:	Not relevant
Other information on storage conditions:	Recommended temperature 5-25°C. Ensure good ventilation.

7.3. Specific end use(s)

Recommendations:	No available information
Special solutions for industrial sector:	No available information

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Control parameters:

Substance	CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
		ppm	mg/m ³	
Portland cement dust	65997-15-1	Not applicable	10(U)* 4 (R)**	Not applicable

*total dust

**respirable dust

Substance:	Portland cement dust
------------	----------------------

EU No.:	263-043-4	CAS number:	65997-15-1	Not applicable
---------	-----------	-------------	------------	----------------

DNEL

Worker

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

Key physical parameters: melting point, flammability, corrosion:	Not applicable
--	----------------

User

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 6 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

PNEC

Environment segment	PNEC
Fresh water	Not applicable
Fresh water sediments	Not applicable
Sea water	Not applicable
Sea sediments	Not applicable
Food chain	Not applicable
Microorganisms in waste water treatment	Not applicable
Land (agricultural)	Not applicable
Air	Not applicable

8.2. Exposure control

8.2.1. Appropriate technical control

Exposure control measures in identified application:	Avoid kneeling in the vicinity of the wet product during application. Wear protective equipment from Section 8 if necessary. Do not smoke, drink or eat during work to avoid contact with skin or mouth.
Structural measures for exposure prevention:	Pursuant to Section 7.
Organizational measures for exposure prevention:	Remove contaminated clothing and shoes immediately after work, remove jewellery and watches and take a shower.
Technical measures for exposure prevention:	Pursuant to Section 7.

8.2.2. Personal protective equipment

8.2.2.1 Eyes and face protection:	Protective goggles that fit eyes/face well.
8.2.2.2 Skin protection	
Hands protection:	Protective gloves made of alkali proof material
Protection of other body parts:	Protective long sleeve working clothes and appropriate closed footwear. Make sure that wet product does not enter shoes.
8.2.2.3 Protection of breathing parts:	It is not necessary in case of adequate ventilation. In case of insufficient ventilation or creation of dust, wear protective filter half-mask for protection from particles.
8.2.2.4 Protection from thermal hazards:	Not applicable

8.2.3. Environment exposure control

Preventive measures for substance/mixture exposure:	Pursuant to Section 6.
Structural measures for exposure prevention:	Pursuant to Section 6.
Organizational measures for exposure prevention:	Pursuant to Section 6.

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 7 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Technical measures for exposure prevention:

Pursuant to Section 6.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	Value	Method
Form:	Solid	Not applicable
Colour:	Grey	Not applicable
Odour:	Odourless	Not applicable
Odour threshold:	Not applicable	Not applicable
pH:	Not applicable	Not applicable
Melting point/Freezing point:	Not applicable	Not applicable
Ignition boiling point and boiling range:	Not applicable	Not applicable
Ignition point:	Not applicable	Not applicable
Evaporation rate:	Not applicable	Not applicable
Flammability (solid, gas):	Not applicable	Not applicable
Upper/lower flammability or explosion limit:	Not applicable	Not applicable
Vapour pressure:	Not applicable	Not applicable
Vapour density:	Not applicable	Not applicable
Relative density:	Not applicable	Not applicable
Pouring density:	Not applicable	Not applicable
Solubility:	Not applicable	Not applicable
Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable
Self-ignition temperature:	Not applicable	Not applicable
Decomposition temperature:	Not applicable	Not applicable
Viscosity:	Not applicable	Not applicable
Explosion features:	Not applicable	Not applicable
Oxidizing features:	Not applicable	Not applicable

9.2. Other information

Adhesion strength after hardening in normal conditions:	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2012
Adhesion strength after water immersion:	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2012
Adhesion strength after heat ageing at 70°C:	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2012
Adhesion strength after freeze-thaw cycles:	$\geq 0,5 \text{ N/mm}^2$	EN 14891:2012
Water tightness	No penetration at water	EN 14891:2012

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 8 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

	pressure of 150 kPa	
--	------------------------	--

SECTION 10. STABILITY AND REACTIVITY

10.1.	Reactivity:	Not applicable
10.2.	Chemical stability:	Stable under normal conditions.
10.3.	Possibility of hazardous reactions:	Not applicable
10.4.	Conditions to avoid:	Temperatures under +5°C and above +25°C. Humidity in storage may cause poorer product quality. Must not be frozen.
10.5.	Incompatible materials:	Not applicable
10.6.	Hazardous disintegration products:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:* data for Portland cement clinker

Exposure way	Method	Organism	Dose LD50/LC50	Exposure time	Result
Swallowing:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Skin contact*:	Not applicable	Rabbit	2000 mg/kg	24 h	No lethal effect
Inhalation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Irritation and corrosion

	Exposure time	Organism	Evaluation	Method	Note
Skin irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Irritative
Eye irritation:	Not applicable	Not applicable	Not applicable	Not applicable	Serious eye damage

Irritation of respiratory system Yes

Sensitization

Inhalation: Not applicable

Skin contact: May cause sensitisation.

CMR effects (carcinogenetic, mutagenic, reproductive toxicity)

Carcinogenetic: Not applicable

Mutagenic *in-vitro*: Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 9 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Genotoxic:	Not applicable					
Mutagenic <i>in-vivo</i> :	Not applicable					
Mutagenic effect on sex cells:	Not applicable					
Reproductive organs toxicity:	Not applicable					
Toxicity in repeated dose (sub-acute, sub-chronic, chronic)						
	Dose	Exposure time	Organism	Method	Evaluation	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-acute inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Specific toxicity for organ target – single exposure (STOT SE):						
	Specific effects			Exposed organ	Note	
Swallowing:	Not applicable			Not applicable	Not applicable	
Skin contact:	May cause skin irritation			Not applicable	Not applicable	
Inhalation:	May cause throat and respiratory tract irritation			Not applicable	Not applicable	
Specific toxicity for organ target – repeated exposure (STOT RE): *data for Portland cement clinker						
	Specific effects			Exposed organ	Note	
Sub-acute to mouth	Not applicable			Not applicable	Not applicable	
Sub-acute on skin *	Contact dermatitis may develop			Not applicable	Not applicable	
Sub-acute inhalation*	Chronic obstructive pulmonary disease(COPD) may develop			Not applicable	Not applicable	
Sub-chronic to mouth	Not applicable			Not applicable	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 10 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Sub-chronic on skin *	Contact dermatitis may develop	Not applicable	Not applicable			
Sub-chronic inhalation*	Chronic obstructive pulmonary disease(COPD) may develop	Not applicable	Not applicable			
Chronic to mouth	Not applicable	Not applicable	Not applicable			
Chronic on skin *	Contact dermatitis may develop	Not applicable	Not applicable			
Chronic inhalation*	Chronic obstructive pulmonary disease(COPD) may develop	Not applicable	Not applicable			
Aspiration hazards:		There are no hazards because it is not used as an aerosol.				
Probable exposure ways:		Not applicable				
Symptoms referring to physical, chemical and toxic features						
Swallowing:		Not applicable				
Skin contact:		Not applicable				
Inhalation:		Not applicable				
Eye contact:		Not applicable				
Delayed current effects, as well as chronic effects due to short and extended exposure:		Not applicable				
Interaction effects:		Not applicable				
Lack of certain information:		Not applicable				
Information on mixture in the reference to its ingredients information:		Not applicable				
Other information:		Not applicable				
SECTION 12. ECOLOGICAL INFORMATION						
12.1. Toxicity						
Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	Not applicable
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 11 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.2. Persistence and degradability						
Abiotic degradability						
	Half-degradability time		Method		Evaluation	Note
Sea water	Not applicable		Not applicable		Not applicable	Not applicable
Fresh water	Not applicable		Not applicable		Not applicable	
Air	Not applicable		Not applicable		Not applicable	
Soil	Not applicable		Not applicable		Not applicable	
Physical and photo-chemical elimination						
Not applicable						
Biodegradability						
% degradation	Time (days)		Method		Evaluation	Note
Not applicable	Not applicable		Not applicable		Not applicable	Not applicable
12.3. Bioaccumulative potential:						
Partition coefficient: n-octanol/water (log Pow)						
Value	Concentration	pH	°C	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Bioconcentration factor (BCF)						
Value	Organism		Method		Evaluation	Note
Not applicable	Not applicable		Not applicable		Not applicable	Not applicable
Chronic eco-toxicity						
Value	Dose	Exposure time	Organism	Method	Evaluation	Note
Chronic toxicity in fish	LC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity in crabs (Daphnia)	EC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.4. Mobility in soil						
Known or anticipated partition in environment:						
Not relevant.						
Surface pressure:						
Value	°C	Concentration		Method		Note
Not applicable	Not applicable	Not applicable		Not applicable		Not applicable
Adsorption/desorption						
Transport	A/D coefficient Henry's constant	log Pow	Evaporation		Method	Note
soil-water	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable
Water-air	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 12 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Soil-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.5	Results of PBT and vPvB assessment				
	Not applicable				
12.6	Other adverse effects				
	Not applicable				
SECTION 13. DISPOSAL CONSIDERATIONS					
13.1.	Waste treatment methods				
13.1.1.	Disposal of unused chemical/contaminated packaging:				
	Disposal must be in line with official local, national, regional and international regulations.				
13.1.2.	Waste labelling according to waste catalogue:				
	Material residues: 17 09 04 (mixed waste from construction and demolition other than those listed in 17 09 01 and 17 09 02 and 17 09 03); Packaging residues: 15 01 01 (paper and cardboard packaging)				
13.1.3.	Waste treatment forms:				
	Not applicable				
13.1.4.	Possibility of disposal to sewage:				
	Discharge into the sewage system, waste waters or water ways is strictly forbidden.				
13.1.5.	Other recommendations for disposal:				
	Not applicable				
13.1.6.	Regulations for waste management:				
	Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 and 106/15), Rulebook on waste categories, testing and classification ("Official Gazette of Republic of Srpska", no. 19/15).				
SECTION 14. TRANSPORT INFORMATION					
Road transport (ADR)					
UN number:		Goods not hazardous based on this regulation			
UN proper shipping name:		Not applicable			
Transport hazard class:		Not applicable			
Packaging group:		Not applicable			
Environmental hazards:		Not applicable			
Special precautions for user:		Not applicable			
Railway transport (RID)					
UN number:		Goods not hazardous based on this regulation			
UN proper shipping name:		Not applicable			

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 13 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Inland waterways transport (ADN)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Seaways transport (IMDG)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable
Airways transport (ICAO-TI/IATA-DGR)	
UN number:	Goods not hazardous based on this regulation
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Special precautions for user:	Not applicable
Additional information:	Not applicable
SECTION 15. REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
.	
	Law on chemicals (RS Off. Gaz. no. 25/09), Rulebook on classification, packaging and labelling of chemicals and certain products

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 14 of 15

Trade name:	HIDROFOB ELASTIC 1K	BTL.C.80.01
Product code:	Production date: July 2, 2017	Version no: 01

Applicable regulations in the Republic of Srpska:	(RS Off. Gaz. no. 9/16), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, testing and classification (RS Off. Gaz. no. 19/15).	
Authorization and/or limitations in application		
Authorizations:	Not applicable	
Limitations:	Not applicable	
Substance causing concern:	Product does not contain substances causing concern.	
Other applicable regulations	Not applicable	
Information on emissions of volatile organic compounds (VOC):	Not relevant	
15.2	Chemical safety assessment	Chemical safety assessment not performed.
SECTION 16. OTHER INFORMATION		
Changes report: Not applicable		
Abbreviations and acronyms: Not applicable		
Basic literature and information sources: Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in accredited laboratory		
Classification and procedures used for classification of mixture according to CLP/GHS system		
Classification according to CLP/GHS system		Classification procedure
Skin irritation 2 Skin sensitisation 1 Serious eye damage 1 STOT SE 3		Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no. 9/16)
Relevant H and P signs (number and full text)		
H	315	Causes skin irritation.
H	317	May cause allergic skin reaction.
H	318	Causes serious eye damage.
H	335	May cause respiratory irritation.
P	102	Keep out of reach of children.
P	280	Wear protective gloves/protective clothing/eye protection/face protection
P	302+352	IN CASE OF SKIN CONTACT: wash with water and soap abundant.
P	304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P	305+351 +338	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P	310	Immediately call a Poison centre or doctor/physician.
P	333+313	If skin irritation or rash occurs: Get medical advice/attention.
P	501	Dispose of contents /container in accordance with local/ national/ regional/international regulations

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 15 of 15

Trade name:	HIDROFOB ELASTIC 1K			BTL.C.80.01	
Product code:		Production date:	July 2, 2017	Version no:	01

Advice for training:	Not applicable
Additional information:	Information provided in this MSDS is a result of our best current knowledge. This information should serve as guidance in manipulation, use, storage, transport and disposal, hence it should not be considered as quality guarantee. Information refers to this product only and may not be used for combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislation.