Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 1 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

1.1.	Product identifier						
	Trade name:	R-kit					
	Chemical name:	Not applicable					
	Synonyms:	Not applicable					
	Catalogue number:	Not applicable	!				
1.2.	Relevant identified uses of t	he substance or	r mixture and uses advised against				
	Application:	and cracks on	ough levelling of major cavities (up to 3 cm), unevenness smaller surfaces of interior walls. For detailed ee product data sheet/label.				
	Applications not	All other app	lications not listed on label or product data				
	recommended:	sheet.					
	Reasons for non-application:	Unsatisfactory	quality of the used product.				
1.3.	Details of the supplier of the sa	afety data sheet					
	Company name:	Colorit d.o.o.					
	Address:	Blagoja Parovi	ća 114b				
	Telephone:	+387(0)51/388	3-830				
	Fax:	+387(0)51/388	38-840				
	e-mail address of the person liable for MSDS:	colorit@inecco	o.net				
	Authorized person in RS:	Colorit d.o.o.,	Blagoja Parovića 114b, Banja Luka				
1.4.	Emergency telephone number						
	Emergency telephone number	:	121 (before 112 gets activated)				
	Telephone number for medica	l information:	124 (0-24h)				
	Other information:		+381 11 360 84 40 (Poison Control Centre Military Medical Academy Belgrade, Serbia)				
II SE	CTION 2. HAZARDS IDENTIFIC	ATION					
2.1.	Classification of the substance	or mixture					
2.1.1.	CLP/GHS system classification						
	Hazard class and catego	ry mark:	Warning on danger (H, EUH)*:				
	Product is not classified as	-	Product is not classified as hazardous				
2.1.2.	Additional information						
	Not applicable						
*Full te	ext H and EUH marks in Section 1	.6					
2.2.	Label elements						
2.2.	Pictogram/hazard symbol:	Product is not c	lassified as hazardous				

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 2 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

	Signal word/danger sign and written warning:	Product is not classified as hazardous
	Hazard statements (H):	Product is not classified as hazardous
	Precautionary statements (P):	P102 – Keep out of reach of children P103- Read label before use P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 – IN CASE OF CONTACT WITH SKIN: Wash with plenty of soap and water P305+P351+P338-IN CASE OF EYES CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P501 – Dispose of contents /container in accordance with local/ national/regional/international regulations
	Supplemental hazard information:	Not applicable
2.3.	Other hazards	
	Not applicable	

II SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3. Information on mixture ingredients

Name	CAS number / EC number / Index number	REACH registration number	Mass or volume % or range	CLP/GHS system classification*
Calcium sulphate hemihydrate (plaster)	13397-24-5/Not applicable/Not applicable	Excluded	65-70	Not classified as hazardous

^{*}Full text H and EUH marks in Section 16.

SECTION 4. FIRST AID MEASURES

4.1.	Description of first aid me	easures
	General:	Providing of first aid is not necessary. If symptoms become worse, seek medical advice/care.
	After inhalation:	Remove the person to fresh air. May cause coughing and difficult breathing. Rinse the mouth and nose with water. If symptoms persist, seek medical advice/care.
	After skin contact:	May cause mild skin irritation. Rinse the skin with sufficient amount of water for at least 15 minutes. Wash contaminated clothing after use.
	After eye contact:	Remove contact lenses, if present, keep eyes wide open and rinse with sufficient amount of water for at least 15 minutes. If the condition deteriorates, consult a doctor.
	After swallowing:	Never induce vomiting. Rinse mouth with water and then drink 1 to 2 glasses of water. Never given anything by mouth to an unconscious

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 3 of 14

Trada	namar			ם עיד		'	DTI C 20 02
	name: ct code:		Drog	R-KIT duction date:	01 April 2017	Version no:	BTL.C.39.02 02
Produc	ct code.		PIOC	duction date.	01 April 2017	version no.	UZ
			perso	on. If the conditi	on does not change	e, seek medical ca	are.
		protection of roviding first aid:	No sp aid.	pecial personal p	protection is neede	d for the person բ	providing first
4.2.	Most im	portant symptoms	and eff	fects, both acu	te and delayed		
	After inh	alation:	Coug	hing and sneezi	ng may occur.		
	After skir	n contacts:	Irritat	tion, redness ma	ay occur.		
	After eye	e contact:	Serio	us eye irritation	may occur.		
	After swa	allowing:	Not a	pplicable			
4.3.	Indicatio	n of any immediate	e medi	cal attention a	nd special treatm	ent needed	
	Not appli	cable					
SECTIO	ON 5. FIREF	IGHTING MEASUR	ES				
5.1.	Extinguis	shing media					
	Suitable agents:	extinguishing			oowder, foam or wa		
	Inapprop extinguis	oriate Shing agents:	Not a	pplicable			
5.2.		azards arising from	the su	ubstance or mi	xture		
	Dangero	us combustion		Not known			
5.3.	Advice fo	or fire-fighters					
	Use breat	thing apparatus. Adju	ust the e	extinguishing ed	uipment to fire co	nditions.	
SECTIO	ON 6. ACCII	DENTAL RELEASE N	/IEASU	RES			
6.1.	Personal	precautions, prote	ctive e	quipment and	emergency proce	edures	
6.1.1.	For peopl	e not trained for the	accide	nt:			
	Protective	e equipment:		Use personal p	rotective equipme	nt as specified in	Section 8.2.
	Accident	prevention procedur	es:	Avoid contact vand swallowing	with skin, eyes and g.	clothing, just like	dust inhalatio
	Emergeno	cy procedures:		· · ·	material producing persons participat ipment.	•	
6.1.2.	For peopl	e participating in acc	ident r	esponse:			
	•	easures are not necene	•	Persons particip	ating in an acciden	t need to wear fa	ce and eyes
6.2.	Environm	ental precautions					

Do not flush product into sewer system, waste waters and other waterways.

Keep material in a dry container.

Prevent dust formation. Place the material in specific disposal container.

Collect material in dry state raising as little dust as possible.

Methods and materials for containment and cleaning up

6.3. 6.3.1.

6.3.2.

6.3.3.

For confinement:

For cleaning up:

Other information:

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 4 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

6.4.	Reference to other sections							
	Contaminated material	should be dispose	ed pursua	ant to Section13.				
	Use personal protection	n equipment pursu	uant to S	ection 8.				
SECTIO	ON 7. HANDLING AND S	TORAGE						
7.1.	Precautions for safe handling							
7.1.1.	Protective measures							
	Recommendations for	safe handling:		void dust formation. Mak ith acids.	e sure to prevent contact			
	Fire prevention measur	es:	N	o special fire protection r	neasures.			
	Aerosol and dust forma measures:	tion preventive	N ₁	ot applicable				
	Incompatible materials	handling:	N	ot applicable				
	Environment protective measures: Keep bags close				ntal position in waterproof, nt product from entering n systems.			
7.1.2.	General hygienic measi	ures advice:						
	Eating, drinking and smoking during the use of product is forbidden. Wash hands at the end of the work shift. Remove contaminated clothing and protective equipment before entering the eating room. Keep work clothing separated from other clothes.							
	Keep work clothing sep	parated from othe	r clothes					
7.2.	Keep work clothing sep Conditions for safe stor							
7.2.		age, including any	incomp	atibilities	rotected against humidity.			
7.2.	Conditions for safe stor Technical measures and Packaging materials:	age, including any	incompa	atibilities	rotected against humidity.			
7.2.	Conditions for safe stor	age, including any	incompa	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ace.			
7.2.	Conditions for safe stor Technical measures and Packaging materials:	age, including any	incompa	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ace.			
7.2.	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro	age, including any distorage condition oms and containe	rincompa	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			
7.2.	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro	age, including any distorage condition oms and containe	rincompa	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation Not relevant Recommended temper	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			
	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro Storage class: Other information on s	age, including any distorage condition oms and containe	rs:	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation Not relevant Recommended temper	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			
	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro Storage class: Other information on s Specific end use(s)	age, including any distorage condition oms and containe torage conditions:	rs:	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation Not relevant Recommended temper Ensure good ventilation	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			
7.3.	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro Storage class: Other information on s Specific end use(s) Recommendations:	age, including any distorage condition oms and containe torage conditions:	rs:	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation Not relevant Recommended temper Ensure good ventilatio o information available	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			
7.3.	Conditions for safe stor Technical measures and Packaging materials: Requests for storage ro Storage class: Other information on s Specific end use(s) Recommendations: Special solutions for inc	age, including any distorage condition oms and containe torage conditions:	rs:	Dry, ventilated space p Natron bag. Protect against humidi closed in horizontal po clean rooms protected in a well-ventilated spa Prevent dust formation Not relevant Recommended temper Ensure good ventilatio o information available	ty. Keep containers well sition, in waterproof, dry, against contamination. Keep ice.			

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 5 of 14

T !						5				га	ge 5 of 14	
Trade n					Drodus	R-KIT	01 10	.:l 2017	Versior		BTL.C.39.02	
Product	code:				Product	tion date:	01 Apr	il 2017	version	i no:	02	
						ppm	n	ng/m³				
	Plaster Not applic				''	6		Not applicable				
riastei Not applit			псарте	/		0		пос арр	псарте			
Cubatan												
Substan			Not appl						1			
EU No.: Not applicable CAS No.:			Not ap	plicable			Not app	licable				
DNEL												
						Worker						
Exposur	e way:	•	Acute lo	cal effects	Acute	systematic eff	ects	Chronic effec			c systematio effects	
Oral			Not ap	plicable	N	ot applicable		No [.] applica		Not	applicable	
Inhalatio	on		Not ap	plicable	N	ot applicable		No ^a		Not	applicable	
Skin			Not ap	plicable	N	ot applicable		No [.]	Not applicab		applicable	
Key phy	sical p	aramet	ters: melt	ing point, f	lammabi	nmability, corrosion:				Not applicable		
						User			<u> </u>	•		
Exposure way: Acc		Acute local effects A		Acute	Acute systematic effects		Chronic local effects			c systemation		
Oral			Not ap	applicable		Not applicable		Not applicable			applicable	
Inhalatio	on		Not ap	plicable		Not applicable	No ^o applica			Not applicable	applicable	
Skin			Not ap	plicable		Not applicable			ot cable	Not	applicable	
PNEC					ī			1	,			
Environi	ment s	segmer	nt		PNE	С						
Fresh wa	ater				Not	Not applicable						
Fresh wa	ater se	edimen	ts			Not applicable						
Sea wat	er					Not applicable						
Sea sedi	ments	5			Not	Not applicable						
Food ch	ain				Not	Not applicable						
Microorganisms in waste water treatment				Not applicable								
Land (agricultural)				Not applicable								
Air					Not	applicable						
8.2.			controls									
8.2.1.	App	propria	te technic	cal control								
			control m applicatio	easures in on:								

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 6 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

	Structural measures for exposure prevention:		Apply instructions from Section 7. After work remove immediately contaminated clothing and shoes.				
	Organizational measures for expos prevention:	ure					
	Technical measures for exposure prevention:		Apply instructions from Se	ection 7.			
8.2.2.	Personal protective equipment		:				
8.2.2.1.	Eyes and face protection:	Protect	ive goggles that fit face/eye	os wall (BAS FN 166)			
8.2.2.2.	Skin protection	FIOLECT	ive goggles that ht race/eye	es well (BAS LIV 100).			
0.2.2.2.	•						
	Hands protection:		ive gloves made of alkali pr	-			
	Protection of other body parts:	approp	ive long-sleeved working cloriate closed footwear (BAS ure that wet material does	EN 13832).			
8.2.2.3.	Protection of breathing parts:	insuffic	is not necessary in case of adequate ventilation. In case of assufficient ventilation or creation of dust, wear protective filter alf-mask for protection from particles.				
8.2.2.4.	Protection from thermal hazards:	Not app	oplicable				
8.2.3.	Environment exposure control						
	Preventive measures for		l	C			
	substance/mixture exposure:		In accordance with Section 6.				
	Structural measures for exposure prevention:		In accordance with Section 6.				
	Organizational measures for expos prevention:	ure	In accordance with Section 6.				
	Technical measures for exposure prevention:		In accordance with Section 6.				
SECTIO	N 9. PHYSICAL AND CHEMICAL PRO	OPERTIES					
9.1.	Information on basic physical and ch	emical pr	operties				
			Value	Method			
	Form:		Solid	Not applicable			
	Colour:		White	Not applicable			
	Odour:	Odourless		Not applicable			
	Odour threshold:	Not applicable		Not applicable			
	pH:		Not applicable	Not applicable			
	Melting point/Freezing point:		Not applicable	Not applicable			
	Ignition boiling point and boiling range:		Not applicable	Not applicable			
	Ignition point:		Not applicable	Not applicable			
	Evaporation rate:		Not applicable Not applicable Not applicable				
	Flammability (solid, gas):		Not applicable	Not applicable			
	Upper/lower flammability or		Not applicable	Not applicable			
	• • • • • • • • • • • • • • • • • • • •	пот аррисавіе пот аррисавіе					

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 7 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

	explosion limit:					
	Vapour pressure:	Not applicable	Not applicable			
	Vapour density:	Not applicable	Not applicable			
	Relative density:	Not applicable	Not applicable			
	Pouring density:	Not applicable	Not applicable			
	Compression strength:	≥ 2 N/mm²	BDS EN 13279-2:2014			
	Bending strength:	≥ 1 N/mm²	BDS EN 13279-2:2014			
	Solubility:	Not applicable	Not applicable			
	Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable			
	Self-ignition temperature:	Not applicable	Not applicable			
	Decomposition temperature:	Not applicable	Not applicable			
	Content of CaSO₄:	≥50 %	BDS EN 13279-2:2005			
	Viscosity:	Not applicable	Not applicable			
	Explosion features:	Not applicable	Not applicable			
	Oxidizing features:	Not applicable	Not applicable			
9.2.	Other information					
	Not applicable					
SECTIO	ON 10. STABILITY AND REACTIVIT	Υ				
10.1.	Reactivity:	Not applicable				
10.2.	Chemical stability:	Stable under normal conditions. In forms a solid mass that is stable un	-			
10.3.	Possibility of hazardous reactions:	Not applicable				
10.4.	Conditions to avoid:	Humidity in storage may cause product quality loss.				
10.5.	Incompatible materials:					
10.6.	Hazardous disintegration products:	Not applicable Not applicable				

11.1. Information on toxicological effects

Acute toxicity:

Exposure way	Method	Organism	Dose LD ₅₀ /LC ₅₀	Exposure time	Result
Swallowing:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Skin contact:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation:	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 8 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

Irritation an								
	Exposure time	Organism		Evaluation	Method	Note		
Skin irritation: Not applicable		Not applicable		ot applicable	Not applicable	Not applicable		
Eye irritation: Not applicable		Not applicat	ole N	ot applicable	Not applicable	Not applicable		
Irritation of system	· , ,	No						
Sensitization								
Inhalation:	Respiratory s	system's sensitivi	ty.					
Skin contact:	Not applicab							
CMR effects	(carcinogenetic,	mutagenic, repro	ductive tox	icity)				
Carcinogenetic:	No information	available						
Mutagenic <i>in-vitro</i> :		No information	available					
Genotoxic:		No information	ı available					
Mutagenic <i>in-vivo</i> :	No information available							
Mutagenic effect on s	sex cells:	No information available						
Reproductive organs	No information available							
Toxicity in re	epeated dose (sub	o-acute, sub-chro	nic, chronic	:)				
	Dose	Exposure time	Organism	Method	Evaluation	Note		
Sub-acute to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Sub-acute on skin	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable		
Sub-acute inhalation	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable		
Sub-chronic to mouth	applicable	Not applicable	Not applicable		Not applicable	Not applicable		
Sub-chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Sub-chronic inhalatio	Not	Not applicable	Not applicable	Not	Not applicable	Not applicable		
Chronic to mouth	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable		
Chronic on skin	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable		
Chronic inhalation	Not applicable	Not applicable	Not applicable		Not applicable	Not applicable		
	•	toxicity for organ	ı target – sı					
	S	pecific effects		Exposed organ		Note		
Swallowing:	N	lot applicable		Not applicable	No	t applicable		

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 9 of 14

					P	age 9 of 14
Trade name:		R-KIT				BTL.C.39.02
Product code:		Production date:	01 April 201	7	Version no:	02
Skin contact:	N.	at a sali sala	Not on all		NI-+	l: l- l -
SKIN CONTACT:	NC	ot applicable	Not applic	cable	Not a	oplicable
Inhalation:	No	ot applicable	Not applic	cable	Not ap	oplicable
Specific toxicity for	organ targe	et – repeated exposure	(STOT RE):			
		Specific effects	Expo org	osed gan	\	lote
Sub-acute to mouth		Not applicable		ot cable	Not a _l	pplicable
Sub-acute on skin		Not applicable	appli	ot cable	Not a	pplicable
Sub-acute inhalation		Not applicable		ot cable	Not a _l	pplicable
Sub-chronic to mouth		Not applicable		ot cable	Not a	pplicable
Sub-chronic on skin		Not applicable		ot cable	Not a	pplicable
Sub-chronic inhalation		Not applicable		ot cable	Not a	pplicable
Chronic to mouth		Not applicable		ot cable	Not a	pplicable
Chronic on skin		Not applicable		ot cable	Not a	pplicable
Chronic inhalation		Not applicable		ot cable	Not a	pplicable
Aspiration hazards	•	Not applicable				
Probable exposure	ways:	Not applicable				
Symptoms referrin	g to physica	l, chemical and toxic fe	eatures			
<u> </u>	Swallowing:	S: Nausea, stomach pain.				
SI	kin contact:	t: Allergic reaction may occur.				
	Inhalation:					
Eye contact		t: Eye irritation may occur.				
Delayed current effects, as well as chronic effects due to short and extended exposure:		lot applicable				
Interaction effects		lot applicable				
Lack of certain information:	٨	Not applicable				
Information on mix		lot applicable				

ingredients information:
Other information:

SECTION 12. ECOLOGICAL INFORMATION

Not applicable

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 10 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

12.1. Toxicity								
Acute toxicity	Dose	Exposure time	Organism	Method	Evalua	ation	Note	
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	No e applio		Not applicable	
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	No e applio	-	Not applicable	
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	No e applio	-	Not applicable	
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	No e applio		Not applicable	
Chronic toxicity	Dose	Exposure time	Organism	Method	Evalua	ation	Note	
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	No e applio		Not applicable	
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	No e applio		Not applicable	
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	No e applio		Not applicable	
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	No e applio	-	Not applicable	
12.2. Persisten	ce and degrada	bility						
Abiotic de	egradability							
	Half-degradab	oility time	Method	Evaluati	on		Note	
Sea water	Not appli	cable	Not applicable	Not applic	Not applicable		Not applicable	
Fresh water	Not appli	cable	Not applicable	Not applic	cable	Not applicable		
Air	Not appli	cable	Not applicable	Not applic	cable	Not applicable		
Soil	Not appli	cable	Not applicable	Not applic	Not applicable		Not applicable	
Physical a	ind photo-chen	nical elimina	tion					
Not appl	icable							
Biodegrad	dability							
% degradation	Time (da	ys)	Method	Eval	uation		Note	
Not applicable	Not applic	able	Not applicable		Not licable		Not applicable	
12.3. Bioaccur	nulative poter	ntial:						
Partition	coefficient: n	-octanol/wa	iter (log Pow))				
Value Co	oncentration	рН	°C	Method	Evalua	tion	Note	

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 11 of 14

Trade r	name:			R-KI	 Г			BTL.C.39.02
	t code:		Produ	ction date:	······································	April 2017	Version n	······
No applio	: N∩t a		•	Not applicable	No applio	Not	t applicable	Not applicable
	Value	Organi		Metho	٠	Evalu	ation	Note
N 1 -						N		
INC	ot applicable	Not app	icable	Not applic	abie	appli	cable	Not applicable
	Chronic eco-t	· · · · · · · · · · · · · · · · · · ·			_			
	Value	Dose	Exposure Not		ganism Not	Method Not	Evaluati Not	ion Note Not
Chronic	toxicity in fish	LC ₅₀	applica		licable	applicable		
Chronic (Daphn	c toxicity in crab iia)	EC ₅₀	Not applica		Not olicable	Not applicable	Not	Not
12.4.	Mobility in so	oil						
	Known or an	ticipated part	ition in envir	onment:				
	Not applicabl	е						
	Surface press	sure:						
	Value	°C	Conc	entration	١	Лethod	1ethod Note	
Not	applicable	Not applica	able Not applicable		Not applicable Not ap		ot applicable	
Transpo	Adsorption/o	A/D	coefficient	log Pow	Evap	oration	Metho	od Note
soil-wa	ter		y's constant applicable	Not	No	t applicable	Not	
Water-	air	Not :	applicable	applicable Not applicable	No	t applicable	applica Not applica	Not
Soil-air		Not	applicable	Not applicable Not a		t applicable	Not applica	
12.5.	Results of PB	T and vPvB as	sessment					
	This product bioaccumulat		ain substanc:	es that are c	onsidere	ed as very pe	rsistent or ve	ery
12.6.	Other advers	e effects						
	Product is no	t environmen	tally hazardo	ous.				
SECTIO	ON 13. DISPOS	AL CONSIDE	RATIONS					
13.1.	Waste trea	tment metho	ds					
13.1.1.	Disposal of	unused chen	nical/contam	inated packa	iging:			
	Dispose as person.	construction	waste in acco	ordance with	local an	d national re	egulations. I	nform authorized
13.1.2.		elling accordin	g to waste ca	atalogue:				
	17 08 02 0	Sypsum-based	l construction	n materials c	ther tha	n those men	tioned in 17	08 01.

15 01 01 (paper and cardboard packaging)

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 12 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

13.1.3.	Waste treatment forms:				
	Not applicable				
13.1.4.	Possibility of disposal to s	sewage:			
13.1.4.	Must not be discharged i				
12.1.5	Other recommendations				
13.1.5.		Tot disposal.			
	Not applicable				
13.1.6.	Regulations for waste ma				
Rule 19/	ebook on waste categories, 15).	Official Gazette of the Republic of Srpska", number 111/13 and 106/15), testing and classification ("Official Gazette of Republic of Srpska", no.			
	1 14. TRANSPORT INFOR	MATION			
	Road transport (ADR)				
UN numb	er:	Not applicable			
UN prope	er shipping name:	Not applicable			
Transpor	t hazard class:	Not hazardous based on this regulation			
Packagin	g group:	Not applicable			
Environm	nental hazards:	Not applicable			
Special p	recautions for user:	Not applicable			
	Railway transport (RID)				
UN numb	per:	Not applicable			
UN prope	er shipping name:	Not applicable			
Transpor	t hazard class:	Not hazardous based on this regulation			
Packagin	g group:	Not applicable			
Environm	nental hazards:	Not applicable			
Special p	recautions for user:	Not applicable			
	Inland waterways transport	t (ADN)			
UN numb	per:	Not applicable			
UN prope	er shipping name:	Not applicable			
Transpor	t hazard class:	Not hazardous based on this regulation			
Packaging group:		Not applicable			
Environmental hazards:		Not applicable			
Special precautions for user:		Not applicable			
	Seaways transport (IMDG)				
UN numb	oer:	Not applicable			
UN prope	er shipping name:	Not applicable			
Transpor	t hazard class:	Not hazardous based on this regulation			
Packaging	g group:	Not applicable			

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

R-KIT

Trade name:

Page 13 of 14

BTL.C.39.02

Produc		Production	date: 01 April 2017 Version no: 02				
	nmental hazards: precautions for user:	Not applica Not applica					
Transpo	ort in loose state OL73/78 and IBC code)	. Not applica	ble				
	Airways transport (IC	CAO-TI/IATA-DGR)					
UN nun	nber:	Not applica	ble				
UN pro	per shipping name:	Not applica	ble				
Transpo	ort hazard class:	Not hazard	ous based on this regulation				
Packagi	ing group:	Not applica	ble				
Special	precautions for user:	Not applica	ble				
Additio	nal information:	Not applicable					
SECTIO	N 15. REGULATORY IN						
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture						
		ns in the Republic of Srps	Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, testing and classification (RS Off. Gaz. no. 19/15).				
	Authorization and/o	r limitations in applicatio)n 				
	Authorizations:		Not applicable				
	Limitations:		Not applicable				
	Substance causing co	oncern:	Product does not contain substances causing concern.				
	Other applicable reg	ulations	Not applicable				
	Information on emis compounds (VOC):	sions of volatile organic	Not applicable				
15.2.	Chemical safety asse	essment Chemica	al safety assessment not performed.				
SECTIO	N 16. OTHER INFORM	ATION					
	Changes report:		H Changes in comparison with the previous version.				
	Abbreviations and acro	onyms:	Not applicable				
	Basic literature and inf	ormation sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in an accredited laboratory				
	Classification and pr	ocedures used for classifi	ication of mixture according to CLP/GHS system				
Classific	cation according to CLF		ation procedure				
	luct is not classified as		ation procedure pursuant to procedures described in the				

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 14 of 14

Trade name:	R-KIT	BTL.C.39.02
Product code:	Production date: 01 April 2017 Version no:	02

			Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no.50/10)		
II	Relevant H and P signs (number and full text)				
	Р	102	Keep out of reach of children.		
	Р	103	Read label before use		
	Р	280	Wear protective gloves/protective clothing/eye protection/face protection		
	Р	302+352	IN CASE OF SKIN CONTACT: wash with plenty or water and soap.		
	Р	305+351+338	IN CASE OF EYES CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	Р	501	Dispose of contents /container in accordance with local/ national/ regional/international regulations		
	Advice for training:		Not applicable		
	Additi	onal information:	Information provided in this MSDS is a result of our best current knowledge. This information should serve as guidance in manipulation, use, storage, transport and disposal, hence it should not be considered as quality guarantee. Information refers to this product only and may not be used for combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislation.		